

SF-T855Z-8P4N1



Camera

Image Sensor:	8.29 MP high performance CMOS
Signal System:	PAL/NTSC
Effective Pixels:	3840 (H) × 2160 (V)
Min. Illumination:	0.01 Lux@(F1.2, AGC ON), 0 Lux with IR
Lens Mount:	φ14
Adjustment Range:	Pan: 0° to 360°; Tilt: 0° to 75°; Rotate: 0° to 360°
Day& Night:	IR cut filter
Synchronization:	Internal Synchronization

Lens

Horizontal Field of View:	108.1° to 45.6°
----------------------------------	-----------------

Menu

D/N Mode:	Auto/Color/BW (Black and White)
BLC:	Support
AGC:	Support
Language:	English
Function:	Brightness, Sharpness, DNR, Mirror, Smart IR

Interface

Video Out:	1 HD analog output
-------------------	--------------------

General

Material:	Metal
Operating Conditions:	-40 °C - 60 °C (-40 °F - 140 °F) Humidity 90% or less (non-condensing)
Weather Proof:	IP67
IR Range:	Up to 60m
Communication :	Up the coax Protocol: Pelco-C(CVBS output), HIKVISION-C(TVI output)
Dimension:	134.3 mm × 123.86 mm × 110.24 mm (5.29" × 4.88" × 4.34")
Weight:	Approx. 580 g (1.28 lb.)